



**Certificate No: MCS BBA 7468**

**Technology: MCS 012**

**Product(s): S4 Mounting System InRoof**

<b>S4 InRoof Universal Mounting System</b>	
<b>Components</b>	<p>Solar Plates SOGYS S4 Mounting System</p> <ul style="list-style-type: none"><li>• Universal Plate</li><li>• Vertical extension</li><li>• Horizontal extension (small and large)</li><li>• End of array</li></ul> <p>S4 Lateral Flashing PSV601 Adjustable simple clamp 6005-TS Adjustable double clamp 6005-TS TP 300 Joint Backer Plus Stainless steel screw 6.5 × 60mm with EPDM washer</p>
<b>Installation Type</b>	Roof-integrated
<b>Permissible roof pitch (Angle °)</b>	12° – 70°
<b>Roofing substrate minimum requirements</b>	Flat tiles, profiled tiles, slates
<b>Maximum design wind uplift resistance (kPa)</b> <i>Calculated by dividing the characteristic wind uplift resistance by the partial safety factor shown below.</i>	2.18
<b>Partial (safety) factor</b>	1.1
<b>Fire classification to BS EN 13501-5 : 2016</b>	<p>B<sub>Roof</sub>(t4)</p> <p>Test Report EUI-24-000086A-Revision 1</p> <p>The fire classification is only valid for; Pitch between 10° and 70° S4 InRoof Universal Mounting System with PV ref LR5-54HPB-410M with build up of timber rafter (Grade 1 Treated Timber SR82 20mm), membrane (Polypropylene 0.9mm) and timber joists (Grade 1 Treated timber SR82 70mm)</p>


**CERTIFIED**

**S4 Mounting System t/a S4 Universal Plate**  
**55 Avenue Marceau**  
**Paris**  
**Ile de France**  
**France**  
**75016**

The BBA (British Board of Agrément) has issued this Microgeneration Certification Scheme (MCS) Certificate to the company and products named above, in recognition of the products' compliance with the MCS Scheme Requirements for the technology named above.

On behalf of the British Board of Agrément

Date of issue: 12 September 2025



Hardy Giesler  
Chief Executive Officer

*The BBA is a UKAS-accredited product certification body (No. 0113). Certification is delivered under accreditation to BS EN ISO/IEC 17065. Readers MUST check the validity and latest issue number of this MCS Certificate by referring to the BBA website or contacting the BBA.*

**British Board of Agrément**

1<sup>st</sup> Floor, Building 3, Hatters Lane  
Croxley Park, Watford  
Herts WD18 8YG

©2025

tel: 01923 665300  
clientservices@bbacerts.co.uk  
www.bbacerts.co.uk